A. W. Hastings & Co.

DOORS
WINDOWS
FRAMES
BLINDS

134 FRIEND STREET
BOSTON, MASSACHUSETTS

#458

A. W. Hastings & Co.

Doors
Windows
Frames
Blinds

High Grade Detail Work

134 Friend Street, Boston, Mass.

Members of Master Builders Association
166 Devonshire St., Boston

Copyright 1914
A. W. HASTINGS & CO.
Boston

INDEX

PAGE

BLINDS — Twelve-light 39
Four-light 39–40
Two-light 41–42
Single 42
Four-fold 43
Brick 43
BLIND TRIMMINGS 75
DOORS — Bulkhead 47
Cypress Five Cross Panel Flush Moulding . . . 48
Cypress Five Cross Panel Bead and Cove Moulding . 49
Cypress Four Panel Flush Moulding 47
Cypress Four Panel O. G. R. P. 45
Cypress Front 60–61–64–71–72
Cypress Short Doors 51
Cypress Glass 48–55–59
Fir Five Cross Panel 49
Fir Glass 49
Fir Short Doors 51
Front . . . . . 60 to 72
Glass . . . . . 49–50–53–55 to 74
Klimax 54
Korelock 52–53
Korelock Glass 53
Pine Four Panel Flush Moulding 46
Pine Four Panel O. G. Raised Panel 45
Painted 45
Pairs 73–74
Special Designs 76–77–78
Storm Doors 75
Short Doors 51
Screen Doors 54
DETAILS — Window Frames 8–10–12–14
Cellar Frames 13

PAGE

Door Frames 17
French Windows 38
Hot Bed Sash 34
Mouldings for Doors 44
Mullion Stools and Headers 9
Mullion Casings 11
Screens 54
Suggestions for Ordering 7
Sash — Cellar 31–32
Border Light 33
One-light 33
Special Designs 38
Skylight Sash 34
Storm Sash — Twelve-light 35
Four-light 35–36
Two-light 36
Thresholds 17
Window Frames — Wood Buildings 8-9-10-11-12
Brick Buildings 14–15
Cellar 13
Stationary 16
Soft Pine 16
Windows — Twelve-light 18
Four-light 19–20
Three-light 21–22
Two-light . . . . . 23 to 26
Six-light 27
Eight-light 27
Fifteen-light 27
Five-light 28
Seven-light 28–29
Nine-light 29
Special Design 37
Weights — Iron 30
Lead 30

IN presenting our new illustrated catalogue, in addition to a complete list of all goods continually carried in stock, we show details and dimensions of stock window frames for wood, plaster, and brick buildings; suggestive designs for odd and fancy windows and sash; also designs for special glass and solid panel doors.

On page 51 we give a list of heights of short doors, made by cutting one or more panels and rails from stock five cross panel doors. This will be found of value in many cases where short doors are required, thus saving the necessity of having them made to order.

We wish to call special attention to the quality of our stock. Our goods are all graded according to the highest standards. All windows, sash, and blinds are Eastern made, mortised, tenoned, and wood pinned, and are of full thickness; 1½-inch windows and sash measure full 1½ inches and not 1⅜ inches. All blinds are Eastern made, mortised, tenoned, and wood pinned, and are full 1¼ inches in thickness.

We suggest that in ordering odd or fancy windows that stock dimensions be followed as far as possible, for, in doing so, stock frames, blinds, and storm windows may be used at a considerable saving in cost over odd sizes.

A. W. HASTINGS & CO.,
134 Friend Street, Boston, Mass.

January 1, 1914.

In addition to goods listed in this catalogue which we constantly carry in stock, we make to order to any detail and in any kind of wood,

WINDOW FRAMES
WINDOWS
SASH
BLINDS
DOORS
FRENCH WINDOWS

for GOVERNMENT BUILDINGS, INSTITUTIONS, OFFICE BUILDINGS, MILLS, FACTORIES, STOREHOUSES, RESIDENCES, COTTAGES, BUNGALOWS, and GARAGES.

STORE SASH and PLATE GLASS
LEADED GLASS
WINDOW WEIGHTS (lead or iron)
SASH CORD
SASH CHAIN

ESTIMATING DEPARTMENT

We make a specialty of furnishing under contract, windows, frames, blinds, and doors, and are glad at any time to send competent men to estimate on any work of this nature.

SUGGESTIONS FOR ORDERING

When ordering, please remember that to get the goods you desire your order must be explicit.

WINDOW FRAMES

Orders for window frames should state size of glass or size of window, thickness of same, thickness of parting bead (all stock frames have ⅜-inch parting bead), width of jambs, whether frames are for wood or brick building and whether in shook or nailed up. If special or detail frames are required, send full-size drawing. If pulleys better than those carried in stock are required, specify what is desired.

BLINDS

Orders for blinds should state size of glass and number of lights in windows to be covered, or outside dimensions of blinds (stock blinds are same width as windows, ½ inch longer for wood buildings and 2 inches longer for brick buildings). State if slats are to be half roll or stationary, whether No. 1 or No. 2 quality, whether for wood or brick building, and whether pairs, single, or four-fold blinds are required.

DOOR FRAMES

Orders for door frames should state size and thickness of doors, width and thickness of jambs, and kind of wood. (Casings or architraves are not included with door frames.)

WINDOWS

Orders for windows should state number of lights or design number (see pages 37-38), thickness of window, thickness of lip (all stock windows have ⅜-inch lips), kind and quality of glass required, whether to be stained, oiled, or primed. "Window" means two pieces to fill opening. "Sash" means one piece to fill opening.

DOORS

All orders for doors should state size, thickness, and kind of wood, style of moulding required, whether to have wood or glass panels. If special doors are required, details should be sent with order.

WEIGHTS AND CORD

It will be found advantageous to have weights and cord furnished with all windows ordered, in which case we send correct weights for each. If special cord is required, state size and kind.

SPECIAL AND DETAIL WORK

Orders for special and detailed frames, blinds, windows, or doors should be accompanied by full-size working drawings and specifications.



Detail of stock window frame for wood buildings.
Jambs 5⅝″ to set on boarding.
See list of stock sizes next page.

WINDOW FRAMES

With hard pine jambs 5⅝″ wide, to set on boarding.
With pockets and pulleys (for 1½″ sash), ⅜″ parting beads.

Stools, headers and head casings			Jambs, casings and parting beads		
Glass width	Sash width		Glass height	Sash height	
12″	1′	3⅝″	12″	2′	5″
13½″	1′	5⅛″	13″	2′	7″
15″	1′	6⅝″	14″	2′	9″
16″	1′	7⅝″	15″	2′	11″
18″	1′	9⅝″	16″	3′	1″
20″	*1′	11⅝″	18″	*3′	5″
21″	*2′	0⅝″	20″	*3′	9″
22″	2′	1⅝″	22″	*4′	1″
24″	*2′	3⅝″	24″	*4′	5″
27″	*2′	6⅝″	26″	*4′	9″
30″	*2′	9⅝″	28″	*5′	1″
32″	2′	11⅝″	30″	*5′	5″
36″	3′	3⅝″	32″	5′	9″
40″	3′	7⅝″	34″	6′	1″
44″	3′	11⅝″	36″	6′	5″
48″	4′	3⅝″			

Glass sizes as given above are two-light sizes.

Stools, headers and head casings of any width may be used with jambs, casings and parting beads of any height as listed above.

All of above sizes are carried in stock in No. 1 quality, and those marked * in No. 2 quality.

MULLION AND TRIPLE STOOLS AND HEADERS

Length of stools, not including horns	
5′	2″
6′	2″
7′	2″
9′	5″
14′	0″

All mullion and triple stools are cut with horns on both ends, but are not cut for mullion jambs. This makes it possible to use them for any width of windows.



Detail of stock window frame for wood buildings.
Jambs 4¾″ to set on studding.
See list of stock sizes on next page.

WINDOW FRAMES

With hard pine jambs 4¾″ wide, to set on studding.
With pockets and pulleys (for 1½″ sash), ⅜″ parting beads.

Stools, headers and head casings		Jambs, casings and parting beads	
Glass width	Sash width	Glass height	Sash height
21″	2′ 0⅝″	14″	2′ 9″
24″	2′ 3⅝″	18″	3′ 5″
27″	2′ 6⅝″	20″	3′ 9″
30″	2′ 9⅝″	22″	4′ 1″
32″	2′ 11⅝″	24″	4′ 5″
36″	3′ 3⅝″	26″	4′ 9″
		28″	5′ 1″
		30″	5′ 5″
		32″	5′ 9″
		34″	6′ 1″
		36″	6′ 5″

Glass sizes as given above are two-light sizes.

Stools, headers and head casings of any width may be used with jambs, casings and parting beads of any height as listed above.

All of above sizes are carried in stock in No. 1 quality only.

MULLION CASINGS

7″ wide, 6″ between sash		9″ wide, 8″ between sash	
Glass height	Sash height	Glass height	Sash height
16″	3′ 1″	16″	3′ 1″
18″	3′ 5″	18″	3′ 5″
20″	3′ 9″	20″	3′ 9″
22″	4′ 1″	22″	4′ 1″
24″	4′ 5″	24″	4′ 5″
26″	4′ 9″	26″	4′ 9″
28″	5′ 1″	28″	5′ 1″
30″	5′ 5″	30″	5′ 5″
32″	5′ 9″	32″	5′ 9″
34″	6′ 1″	34″	6′ 1″
36″	6′ 5″	36″	6′ 5″

Glass sizes as given above are two-light sizes.

These mullion casings may be used with any of our stock stools and headers to make any size mullion or triple frame.



Detail of stock window frame for wood buildings, showing one way of using in connection with outside plastered buildings.

CELLAR FRAMES

Three lights wide for 1¼ sash

Glass	Size of Sash		
7″ x 9″	2′	0⅝″ x 1′	0″
8″ x 10″	2′	3⅝″ x 1′	1″
8″ x 12″	2′	3⅝″ x 1′	3″
9″ x 12″	2′	6⅝″ x 1′	3″
10″ x 12″	2′	9⅝″ x 1′	3″
10″ x 14″	2′	9⅝″ x 1′	5″
10″ x 15″	2′	9⅝″ x 1′	6″
10″ x 16″	2′	9⅝″ x 1′	7″
10″ x 18″	2′	9⅝″ x 1′	9″
10″ x 20″	2′	9⅝″ x 1′	11″
12″ x 18″	3′	3⅝″ x 1′	9″
12″ x 20″	3′	3⅝″ x 1′	11″



Four lights wide for 1¼ sash

Glass	Size of Sash		
7″ x 9″	2′	7¾″ x 1′	0″
8″ x 10″	2′	11¾″ x 1′	1″
8″ x 12″	2′	11¾″ x 1′	3″
9″ x 12″	3′	3¾″ x 1′	3″
9″ x 13″	3′	3¾″ x 1′	4″
10″ x 12″	3′	7¾″ x 1′	3″
10″ x 14″	3′	7¾″ x 1′	5″

Six lights, three lights wide, two lights high for 1¼ sash

Glass	Size of Sash		
9″ x 12″	2′	6⅝″ x 2′	3⅜″
9″ x 13″	2′	6⅝″ x 2′	5⅜″
10″ x 12″	2′	9⅝″ x 2′	3⅜″
10″ x 14″	2′	9⅝″ x 2′	7⅜″
10″ x 15″	2′	9⅝″ x 2′	9⅜″

Staff Beads

Can be furnished with stock cellar frames if desired.

Odd cellar frames made to order.



Detail of stock window frames for brick buildings.
See list of stock sizes on next page.

WINDOW FRAMES FOR BRICK BUILDINGS

No. 2 Quality

Stools, headers and head casings		Jambs and casings	
Glass width	Sash width	Glass height	Sash height
20″	1′ 11⅝″	18″	3′ 5″
24″	2′ 3⅝″	20″	3′ 9″
27″	2′ 6⅝″	24″	4′ 5″
30″	2′ 9⅝″	26″	4′ 9″
32″	2′ 11⅝″	28″	5′ 1″
36″	3′ 3⅝″	30″	5′ 5″
		32″	5′ 9″
		36″	6′ 5″

Glass sizes as above given are two-light sizes.

Stools, headers and head casings of any width may be used with jambs and casings of any height as above listed.

Mullion stools and headers for 30″ 2′ 9⅝″ sash, also mullion casings of all heights, as listed above, are carried in stock.

Segment plank heads in stock for all widths as listed.

The staff bead opening of any frame may be determined by adding 3″ to width and 4″ to height of sash.

Window Frames to Detail

We make to order window frames of any size or style, and to any detail.

We make a specialty of Heavy Construction Frames for Office Buildings, Government Buildings and Factories.

STATIONARY FRAMES

With 5⅝″ hard pine jambs to set on boarding.

No. 1 Quality

Sash Size	Sash Size
2′ 0″ x 2′ 0″	2′ 9″ x 2′ 0″
2′ 0″ x 2′ 6″	2′ 9″ x 2′ 6″
2′ 0″ x 2′ 9″	2′ 9″ x 2′ 9″
2′ 0″ x 3′ 0″	2′ 9″ x 3′ 0″
2′ 6″ x 2′ 0″	3′ 0″ x 2′ 0″
2′ 6″ x 2′ 6″	3′ 0″ x 2′ 6″
2′ 6″ x 2′ 9″	3′ 0″ x 2′ 9″
2′ 6″ x 3′ 0″	3′ 0″ x 3′ 0″

WINDOW FRAMES

SOFT PINE jambs 5⅝″ wide to set on boarding, with ⅜″ parting beads but no pockets or pulleys.

For 1½″ sash. No. 2 Quality.

Glass Size	Sash Size
8″ x 12″	2′ 3⅝″ x 4′ 5″
9″ x 12″	2′ 6⅝″ x 4′ 5″
9″ x 13″	2′ 6⅝″ x 4′ 9″
10″ x 14″	2′ 9⅝″ x 5′ 1″

WINDOW FRAMES

SOFT PINE jambs 5⅝″ wide to set on boarding, no pockets, pulleys or parting beads.

No. 2 Quality

Glass Size	Sash Size
7″ x 9″	2′ 0⅝″ x 3′ 5″
8″ x 10″	2′ 3⅝″ x 3′ 9″
8″ x 12″	2′ 3⅝″ x 4′ 5″
9″ x 12″	2′ 6⅝″ x 4′ 5″
9″ x 13″	2′ 6⅝″ x 4′ 9″

DOOR FRAMES

Cypress

Size	Stock	Jamb	Rabbet	
2′ 8″ x 6′ 8″	1½″	3½″	1¼″	1½″
2′ 8″ x 6′ 8″	1½″	4½″	1¼″	1½″
2′ 8″ x 6′ 8″	1½″	5½″	1¼″	1½″
2′ 8″ x 6′ 8″	2″	3½″	1½″	
2′ 8″ x 6′ 8″	2″	4½″	1½″	
2′ 8″ x 6′ 8″	2″	5½″	1½″	
3′ 0″ x 7′ 0″	2″	5¾″	1½″	1¾″
3′ 6″ x 7′ 6″	2″	5¾″		1¾″
5′ 0″ x 8′ 0″	2″	5¾″		1¾″

Fir

Size	Stock	Jamb	Rabbet	
2′ 8″ x 6′ 8″	1½″	3½″	1½″	
2′ 8″ x 6′ 8″	1½″	4½″	1½″	
2′ 8″ x 6′ 8″	1½″	5½″	1½″	
2′ 8″ x 6′ 8″	2″	3½″	1½″	
2′ 8″ x 6′ 8″	2″	4½″	1½″	
2′ 8″ x 6′ 8″	2″	5½″	1½″	
3′ 0″ x 7′ 0″	2″	5½″	1½″	1¾″
3′ 6″ x 7′ 6″	2″	5½″		1¾″
5′ 0″ x 8′ 0″	2″	5½″		1¾″

SHEATHING DOOR FRAMES, Cypress

2′ 8″ x 6′ 8″ 1⅜″ for ⅞″ sheathing.



Outside Thresholds

Hard pine in stock in all lengths.

TWELVE-LIGHT WINDOWS

All sash full thickness.

1⅛″ Meeting Rails.

Size of Glass	Size of Sash	Thickness		No. lbs. to each weight	
				1⅜	1½
6″ x 8″	1′ 9⅝″ x 3′ 1″	1¼″	1½″		3
7″ x 9″	2′ 0⅝″ x 3′ 5″	1¼″	1½″		3½
8″ x 10″	2′ 3⅝″ x 3′ 9″	1¼″	1½″	3½	4
8″ x 11″	2′ 3⅝″ x 4′ 1″	1¼″	1½″		4
8″ x 12″	2′ 3⅝″ x 4′ 5″	1¼″	1½″	4	4
9″ x 9″	2′ 6⅝″ x 3′ 5″		1½″		4
9″ x 11″	2′ 6⅝″ x 4′ 1″	1¼″	1½″	4	4½
9″ x 12″	2′ 6⅝″ x 4′ 5″	1¼″ 1⅜″	1½″	4½	5
9″ x 13″	2′ 6⅝″ x 4′ 9″	1¼″ 1⅜″	1½″	4½	5
9″ x 14″	2′ 6⅝″ x 5′ 1″		1½″	5	5½
9″ x 15″	2′ 6⅝″ x 5′ 5″		1½″		5½
9″ x 16″	2′ 6⅝″ x 5′ 9″		1½″		6
10″ x 12″	2′ 9⅝″ x 4′ 5″	1¼″	1½″		5
10″ x 13″	2′ 9⅝″ x 4′ 9″		1½″		5½
10″ x 14″	2′ 9⅝″ x 5′ 1″	1¼″	1½″	5½	5½
10″ x 15″	2′ 9⅝″ x 5′ 5″		1½″	5½	6
10″ x 16″	2′ 9⅝″ x 5′ 9″		1½″		6½
10″ x 17″	2′ 9⅝″ x 6′ 1″		1½″		7
10″ x 18″	2′ 9⅝″ x 6′ 5″		1½″		7
11″ x 14″	3′ 0⅝″ x 5′ 1″		1½″		9
11″ x 15″	3′ 0⅝″ x 5′ 5″		1½″		6½
11″ x 16″	3′ 0⅝″ x 5′ 9″		1½″		6½
11″ x 17″	3′ 0⅝″ x 6′ 1″		1½″		7
11″ x 18″	3′ 0⅝″ x 6′ 5″		1½″		7½
12″ x 14″	3′ 3⅝″ x 5′ 1″		1½″		6½
12″ x 15″	3′ 3⅝″ x 5′ 5″		1½″		7
12″ x 16″	3′ 3⅝″ x 5′ 9″		1½″		7½
12″ x 17″	3′ 3⅝″ x 6′ 1″		1½″		8
12″ x 18″	3′ 3⅝″ x 6′ 5″		1½″		8½
12″ x 20″	3′ 3⅝″ x 7′ 1″		1½″		9



TWO-LIGHT WINDOWS

1½″ Thick

1½″ Meeting Rails.

Size of Glass	Size of Sash	No. lbs. to each weight
12″ x 18″	1′ 3⅝″ x 3′ 5″	2½
12″ x 20″	1′ 3⅝″ x 3′ 9″	2½
12″ x 22″	1′ 3⅝″ x 4′ 1″	2½
12″ x 24″	1′ 3⅝″ x 4′ 5″	2½
12″ x 26″	1′ 3⅝″ x 4′ 9″	3
12″ x 28″	1′ 3⅝″ x 5′ 1″	3½
12″ x 30″	1′ 3⅝″ x 5′ 5″	3½
13½″ x 18″	1′ 5⅛″ x 3′ 5″	3
13½″ x 20″	1′ 5⅛″ x 3′ 9″	3
13½″ x 22″	1′ 5⅛″ x 4′ 1″	3
13½″ x 24″	1′ 5⅛″ x 4′ 5″	3
13½″ x 26″	1′ 5⅛″ x 4′ 9″	3
13½″ x 28″	1′ 5⅛″ x 5′ 1″	3½
13½″ x 30″	1′ 5⅛″ x 5′ 5″	3½
14″ x 24″	1′ 5⅝″ x 4′ 5″	3½
14″ x 26″	1′ 5⅝″ x 4′ 9″	3½
14″ x 28″	1′ 5⅝″ x 5′ 1″	3½
14″ x 30″	1′ 5⅝″ x 5′ 5″	4
15″ x 18″	1′ 6⅝″ x 3′ 5″	3
15″ x 20″	1′ 6⅝″ x 3′ 9″	3
15″ x 22″	1′ 6⅝″ x 4′ 1″	3
15″ x 24″	1′ 6⅝″ x 4′ 5″	3
15″ x 26″	1′ 6⅝″ x 4′ 9″	3
15″ x 28″	1′ 6⅝″ x 5′ 1″	3½
15″ x 30″	1′ 6⅝″ x 5′ 5″	3½
15″ x 32″	1′ 6⅝″ x 5′ 9″	4
16″ x 18″	1′ 7⅝″ x 3′ 5″	3
16″ x 20″	1′ 7⅝″ x 3′ 9″	3

TWO-LIGHT WINDOWS — Continued
1½″ Thick

Size of Glass	Size of Sash	No. lbs. to each weight
16″ x 24″	1′ 7⅝″ x 4′ 5″	3½
16″ x 26″	1′ 7⅝″ x 4′ 9″	3½
16″ x 28″	1′ 7⅝″ x 5′ 1″	4
16″ x 30″	1′ 7⅝″ x 5′ 5″	4
16″ x 32″	1′ 7⅝″ x 5′ 9″	4½
16″ x 34″	1′ 7⅝″ x 6′ 1″	4½
16″ x 36″	1′ 7⅝″ x 6′ 5″	5
18″ x 18″	1′ 9⅝″ x 3′ 5″	3½
18″ x 20″	1′ 9⅝″ x 3′ 9″	3½
18″ x 22″	1′ 9⅝″ x 4′ 1″	3½
18″ x 24″	1′ 9⅝″ x 4′ 5″	3½
18″ x 26″	1′ 9⅝″ x 4′ 9″	4
18″ x 28″	1′ 9⅝″ x 5′ 1″	4
18″ x 30″	1′ 9⅝″ x 5′ 5″	4½
18″ x 32″	1′ 9⅝″ x 5′ 9″	4½
18″ x 34″	1′ 9⅝″ x 6′ 1″	5
18″ x 36″	1′ 9⅝″ x 6′ 5″	5½
20″ x 16″	1′ 11⅝″ x 3′ 1″	3
20″ x 18″	1′ 11⅝″ x 3′ 5″	3½
20″ x 20″	1′ 11⅝″ x 3′ 9″	3½
20″ x 22″	1′ 11⅝″ x 4′ 1″	4
20″ x 24″	1′ 11⅝″ x 4′ 5″	4
20″ x 26″	1′ 11⅝″ x 4′ 9″	4
20″ x 28″	1′ 11⅝″ x 5′ 1″	4½
20″ x 30″	1′ 11⅝″ x 5′ 5″	4½
20″ x 32″	1′ 11⅝″ x 5′ 9″	5
22″ x 24″	2′ 1⅝″ x 4′ 5″	4½
22″ x 26″	2′ 1⅝″ x 4′ 9″	4½
22″ x 28″	2′ 1⅝″ x 5′ 1″	5
22″ x 30″	2′ 1⅝″ x 5′ 5″	5
22″ x 32″	2′ 1⅝″ x 5′ 9″	5½
24″ x 16″	2′ 3⅝″ x 3′ 1″	3½
24″ x 18″	2′ 3⅝″ x 3′ 5″	4
24″ x 20″	2′ 3⅝″ x 3′ 9″	4

FOUR-LIGHT WINDOWS

All sash full thickness.

1½″ Meeting Rails.

Size of Glass	Size of Sash	Thickness			No. lbs. to each weight	
					1⅜	1½
10½″ x 18″	2′ 0⅝″ x 3′ 5″	1¼″		1½″		3½
10½″ x 22″	2′ 1¼″ x 4′ 2¼″	1¼″				
12″ x 18″	2′ 3⅝″ x 3′ 5″			1½″		4
12″ x 20″	2′ 3⅝″ x 3′ 9″	1¼″		1½″	3½	4
12″ x 22″	2′ 3⅝″ x 4′ 1″			1½″		4
12″ x 24″	2′ 3⅝″ x 4′ 5″	1¼″		1½″	4	4
12″ x 25″	2′ 4¼″ x 4′ 7¼″	1¼″				
12″ x 26″	2′ 3⅝″ x 4′ 9″			1½″		4½
12″ x 28″	2′ 3⅝″ x 5′ 1″			1½″		5
12″ x 30″	2′ 3⅝″ x 5′ 5″			1½″		5
13½″ x 18″	2′ 6⅝″ x 3′ 5″			1½″		4
13½″ x 20″	2′ 6⅝″ x 3′ 9″			1½″		4½
13½″ x 22″	2′ 6⅝″ x 4′ 1″			1½″		4½
13½″ x 24″	2′ 6⅝″ x 4′ 5″	1¼″	1⅜″	1½″	4½	5
13½″ x 26″	2′ 6⅝″ x 4′ 9″	1¼″	1⅜″	1½″	4½	5
13½″ x 28″	2′ 6⅝″ x 5′ 1″			1½″		5½
13½″ x 30″	2′ 6⅝″ x 5′ 5″			1½″		5½
13½″ x 32″	2′ 6⅝″ x 5′ 9″			1½″		6
13½″ x 34″	2′ 6⅝″ x 6′ 1″			1½″		6½
14″ x 24″	2′ 7⅝″ x 4′ 5″			1½″		5
14″ x 26″	2′ 7⅝″ x 4′ 9″			1½″		5½
14″ x 28″	2′ 7⅝″ x 5′ 1″			1½″		6
14″ x 30″	2′ 7⅝″ x 5′ 5″			1½″		6
14″ x 32″	2′ 7⅝″ x 5′ 9″			1½″		6
15″ x 18″	2′ 9⅝″ x 3′ 5″			1½″		4½
15″ x 20″	2′ 9⅝″ x 3′ 9″			1½″		4½
15″ x 22″	2′ 9⅝″ x 4′ 1″			1½″		5
15″ x 24″	2′ 9⅝″ x 4′ 5″			1½″		5

FOUR-LIGHT WINDOWS — Continued

Size of Glass	Size of Sash	Thickness	No. lbs. to each weight 1⅜	1½
15″ x 26″	2′ 9⅝″ x 4′ 9″	1½″		5½
15″ x 28″	2′ 9⅝″ x 5′ 1″	1½″		5½
15″ x 30″	2′ 9⅝″ x 5′ 5″	1½″		6
15″ x 32″	2′ 9⅝″ x 5′ 9″	1½″		6½
15″ x 34″	2′ 9⅝″ x 6′ 1″	1½″		7
15″ x 36″	2′ 9⅝″ x 6′ 5″	1½″		7
16″ x 26″	2′ 11⅝″ x 4′ 9″	1½″		5½
16″ x 28″	2′ 11⅝″ x 5′ 1″	1½″		6
16″ x 30″	2′ 11⅝″ x 5′ 5″	1½″		6½
16″ x 32″	2′ 11⅝″ x 5′ 9″	1½″		6½
16″ x 34″	2′ 11⅝″ x 6′ 1″	1½″		7
16″ x 36″	2′ 11⅝″ x 6′ 5″	1½″		7
16½″ x 28″	3′ 0⅝″ x 5′ 1″	1½″		6
16½″ x 30″	3′ 0⅝″ x 5′ 5″	1½″		6½
16½″ x 32″	3′ 0⅝″ x 5′ 9″	1½″		6½
18″ x 24″	3′ 3⅝″ x 4′ 5″	1½″		6
18″ x 26″	3′ 3⅝″ x 4′ 9″	1½″		6
18″ x 28″	3′ 3⅝″ x 5′ 1″	1½″		6½
18″ x 30″	3′ 3⅝″ x 5′ 5″	1½″		7
18″ x 32″	3′ 3⅝″ x 5′ 9″	1½″		7½
18″ x 34″	3′ 3⅝″ x 6′ 1″	1½″		8
18″ x 36″	3′ 3⅝″ x 6′ 5″	1½″		8½
20″ x 26″	3′ 7⅝″ x 4′ 9″	1½″		7
20″ x 28″	3′ 7⅝″ x 5′ 1″	1½″		7½
20″ x 30″	3′ 7⅝″ x 5′ 5″	1½″		8
20″ x 32″	3′ 7⅝″ x 5′ 9″	1½″		8½

Weights as above listed are for single-thick glass.

High Grade Custom Work

We make a specialty of detail windows and sash, however complicated, and furnish them in any kind of wood.

WE ARE ALWAYS GLAD TO ESTIMATE.

THREE-LIGHT WINDOWS

1½″ thick

1½″ Meeting Rails.

Size of Glass	Size of Sash	No. lbs. to each weight
21″ x 18″	2′ 0⅝″ x 3′ 5″	4
24″ x 18″	2′ 3⅝″ x 3′ 5″	4
24″ x 20″	2′ 3⅝″ x 3′ 9″	4½
24″ x 22″	2′ 3⅝″ x 4′ 1″	4½
24″ x 24″	2′ 3⅝″ x 4′ 5″	4½
24″ x 26″	2′ 3⅝″ x 4′ 9″	4½
24″ x 28″	2′ 3⅝″ x 5′ 1″	5
24″ x 30″	2′ 3⅝″ x 5′ 5″	5½
24″ x 32″	2′ 3⅝″ x 5′ 9″	5½
27″ x 18″	2′ 6⅝″ x 3′ 5″	4½
27″ x 20″	2′ 6⅝″ x 3′ 9″	4½
27″ x 22″	2′ 6⅝″ x 4′ 1″	4½
27″ x 24″	2′ 6⅝″ x 4′ 5″	5
27″ x 26″	2′ 6⅝″ x 4′ 9″	5
27″ x 28″	2′ 6⅝″ x 5′ 1″	5½
27″ x 30″	2′ 6⅝″ x 5′ 5″	6
27″ x 32″	2′ 6⅝″ x 5′ 9″	6
27″ x 34″	2′ 6⅝″ x 6′ 1″	6½
27″ x 36″	2′ 6⅝″ x 6′ 5″	7
28″ x 24″	2′ 7⅝″ x 4′ 5″	5
28″ x 26″	2′ 7⅝″ x 4′ 9″	5
28″ x 28″	2′ 7⅝″ x 5′ 1″	5½
28″ x 30″	2′ 7⅝″ x 5′ 5″	6
30″ x 18″	2′ 9⅝″ x 3′ 5″	5
30″ x 20″	2′ 9⅝″ x 3′ 9″	5
30″ x 22″	2′ 9⅝″ x 4′ 1″	5
30″ x 24″	2′ 9⅝″ x 4′ 5″	5
30″ x 26″	2′ 9⅝″ x 4′ 9″	5½
30″ x 28″	2′ 9⅝″ x 5′ 1″	6
30″ x 30″	2′ 9⅝″ x 5′ 5″	6½

THREE-LIGHT WINDOWS — Continued
1½″ thick

Size of Glass	Size of Sash	No. lbs. to each weight
30″ x 32″	2′ 9⅝″ x 5′ 9″	6½
30″ x 34″	2′ 9⅝″ x 6′ 1″	7
30″ x 36″	2′ 9⅝″ x 6′ 5″	7
32″ x 24″	2′ 11⅝″ x 4′ 5″	5½
32″ x 26″	2′ 11⅝″ x 4′ 9″	6
32″ x 28″	2′ 11⅝″ x 5′ 1″	6
32″ x 30″	2′ 11⅝″ x 5′ 5″	6½
32″ x 32″	2′ 11⅝″ x 5′ 9″	6½
32″ x 34″	2′ 11⅝″ x 6′ 1″	7
32″ x 36″	2′ 11⅝″ x 6′ 5″	7½
36″ x 24″	3′ 3⅝″ x 4′ 5″	5½
36″ x 26″	3′ 3⅝″ x 4′ 9″	6
36″ x 28″	3′ 3⅝″ x 5′ 1″	6½
36″ x 30″	3′ 3⅝″ x 5′ 5″	7
36″ x 32″	3′ 3⅝″ x 5′ 9″	7½
36″ x 34″	3′ 3⅝″ x 6′ 1″	7½
36″ x 36″	3′ 3⅝″ x 6′ 5″	8
40″ x 26″	3′ 7⅝″ x 4′ 9″	7½
40″ x 28″	3′ 7⅝″ x 5′ 1″	7½
40″ x 30″	3′ 7⅝″ x 5′ 5″	8
40″ x 32″	3′ 7⅝″ x 5′ 9″	8½

Weights as above listed are for single thick glass.

We Carry in Stock

Iron Window Weights Sash Cord Sash Chain

Lead Weights Made to Order.

TWO-LIGHT WINDOWS — Continued

Size of Glass	Size of Sash	No. lbs. to each weight
24″ x 22″	2′ 3⅝″ x 4′ 1″	4
24″ x 24″	2′ 3⅝″ x 4′ 5″	4
24″ x 26″	2′ 3⅝″ x 4′ 9″	4½
24″ x 28″	2′ 3⅝″ x 5′ 1″	5
24″ x 30″	2′ 3⅝″ x 5′ 5″	5
24″ x 32″	2′ 3⅝″ x 5″ 9″	5½
26″ x 28″	2′ 5⅝″ x 5′ 1″	5½
26″ x 30″	2′ 5⅝″ x 5′ 5″	6
26″ x 32″	2′ 5⅝″ x 5′ 9″	6
27″ x 16″	2′ 6⅝″ x 3′ 1″	4
27″ x 18″	2′ 6⅝″ x 3′ 5″	4½
27″ x 20″	2′ 6⅝″ x 3′ 9″	4½
27″ x 22″	2′ 6⅝″ x 4′ 1″	4½
27″ x 24″	2′ 6⅝″ x 4′ 5″	5
27″ x 26″	2′ 6⅝″ x 4′ 9″	5
27″ x 28″	2′ 6⅝″ x 5′ 1″	5½
27″ x 30″	2′ 6⅝″ x 5′ 5″	6
27″ x 32″	2′ 6⅝″ x 5′ 9″	6
27″ x 34″	2′ 6⅝″ x 6′ 1″	6½
27″ x 36″	2′ 6⅝″ x 6′ 5″	7
28″ x 18″	2′ 7⅝″ x 3′ 5″	4½
28″ x 20″	2′ 7⅝″ x 3′ 9″	4½
28″ x 22″	2′ 7⅝″ x 4′ 1″	5
28″ x 24″	2′ 7⅝″ x 4′ 5″	5
28″ x 26″	2′ 7⅝″ x 4′ 9″	5
28″ x 28″	2′ 7⅝″ x 5′ 1″	5½
28″ x 30″	2′ 7⅝″ x 5′ 5″	6
30″ x 16″	2′ 9⅝″ x 3′ 1″	6
30″ x 18″	2′ 9⅝″ x 3′ 5″	5
30″ x 20″	2′ 9⅝″ x 3′ 9″	5
30″ x 22″	2′ 9⅝″ x 4′ 1″	5
30″ x 24″	2′ 9⅝″ x 4′ 5″	5
30″ x 26″	2′ 9⅝″ x 4′ 9″	5½
30″ x 28″	2′ 9⅝″ x 5′ 1″	6
30″ x 30″	2′ 9⅝″ x 5′ 5″	6½
30″ x 32″	2′ 9⅝″ x 5′ 9″	6½

TWO-LIGHT WINDOWS — Continued

1½″ Thick

Size of Glass	Size of Sash	No. lbs. to each weight
30″ x 34″	2′ 9⅝″ x 6′ 1″	7
30″ x 36″	2′ 9⅝″ x 6′ 5″	7
32″ x 18″	2′ 11⅝″ x 3′ 5″	4½
32″ x 20″	2′ 11⅝″ x 3′ 9″	5
32″ x 22″	2′ 11⅝″ x 4′ 1″	5
32″ x 24″	2′ 11⅝″ x 4′ 5″	5½
32″ x 26″	2′ 11⅝″ x 4′ 9″	6
32″ x 28″	2′ 11⅝″ x 5′ 1″	6
32″ x 30″	2′ 11⅝″ x 5′ 5″	6½
32″ x 32″	2′ 11⅝″ x 5′ 9″	6½
36″ x 18″	3′ 3⅝″ x 3′ 5″	5
36″ x 20″	3′ 3⅝″ x 3′ 9″	5½
36″ x 22″	3′ 3⅝″ x 4′ 1″	5½
36″ x 26″	3′ 3⅝″ x 4′ 9″	6
36″ x 28″	3′ 3⅝″ x 5′ 1″	6½
36″ x 30″	3′ 3⅝″ x 5′ 5″	7
36″ x 32″	3′ 3⅝″ x 5′ 9″	7½
36″ x 34″	3′ 3⅝″ x 6′ 1″	8
36″ x 36″	3′ 3⅝″ x 6′ 5″	8
40″ x 24″	3′ 7⅝″ x 4′ 5″	7½
40″ x 26″	3′ 7⅝″ x 4′ 9″	7½
40″ x 28″	3′ 7⅝″ x 5′ 1″	7½
40″ x 30″	3′ 7⅝″ x 5′ 5″	8
40″ x 32″	3′ 7⅝″ x 5′ 9″	8½

Weights as above listed are for single thick glass.

Windows Made to Order

In any size, style or thickness and of any kind of wood.

SIX-LIGHT WINDOWS

Three lights wide, Two lights high — 1½″ thick

Size of Glass	Size of Sash	No. lbs. to each weight
9″ x 12″	2′ 6⅝″ x 2′ 4½″	2½
9″ x 13″	2′ 6⅝″ x 2′ 6½″	3
9″ x 14″	2′ 6⅝″ x 2′ 8½″	3
10″ x 14″	2′ 9⅝″ x 2′ 8½″	3½
10″ x 15″	2′ 9⅝″ x 2′ 10½″	4

EIGHT-LIGHT WINDOWS

1½″ Thick

Size of Glass	Size of Sash	No. lbs. to each weight
9″ x 12″	1′ 9⅝″ x 4′ 5″	3½
9″ x 13″	1′ 9⅝″ x 4′ 9″	3½
10″ x 14″	1′ 11⅝″ x 5′ 1″	4

FIFTEEN-LIGHT WINDOWS

1¼″ Thick

Size of Glass	Size of Sash
7″ x 9″	2′ 0⅝″ x 4′ 2″
8″ x 10″	2′ 3⅝″ x 4′ 7″

All sash full thickness.

We Make a Specialty

Of High Grade Special Work in Windows, Frames and Doors.

FIVE-LIGHT WINDOWS

1½″ Thick

1½″ Meeting Rails.

Size of Glass	Size of Sash	No. lbs. to each weight
18″ x 20″	1′ 9⅝″ x 3′ 9″	4
18″ x 24″	1′ 9⅝″ x 4′ 5″	4
18″ x 26″	1′ 9⅝″ x 4′ 9″	4½
18″ x 28″	1′ 9⅝″ x 5′ 1″	4½
18″ x 30″	1′ 9⅝″ x 5′ 5″	5
20″ x 20″	1′ 11⅝″ x 3′ 9″	4
20″ x 24″	1′ 11⅝″ x 4′ 5″	4½
20″ x 26″	1′ 11⅝″ x 4′ 9″	4½
20″ x 28″	1′ 11⅝″ x 5′ 1″	4½
20″ x 30″	1′ 11⅝″ x 5′ 5″	5

SEVEN-LIGHT WINDOWS

1½″ Thick

1½″ Meeting Rails.

Size of Glass	Size of Sash	No. lbs. to each weight
24″ x 18″	2′ 3⅝″ x 3′ 5″	4
24″ x 20″	2′ 3⅝″ x 3′ 9″	4½
24″ x 22″	2′ 3⅝″ x 4′ 1″	4½
24″ x 24″	2′ 3⅝″ x 4′ 5″	4½
24″ x 26″	2′ 3⅝″ x 4′ 9″	5

SEVEN-LIGHT WINDOWS — Continued

Size of Glass	Size of Sash	No. lbs. to each weight
24″ x 28″	2′ 3⅝″ x 5′ 1″	5
24″ x 30″	2′ 3⅝″ x 5′ 5″	5½
27″ x 18″	2′ 6⅝″ x 3′ 5″	4½
27″ x 20″	2′ 6⅝″ x 3′ 9″	4½
27″ x 22″	2′ 6⅝″ x 4′ 1″	4½
27″ x 24″	2′ 6⅝″ x 4′ 5″	5
27″ x 26″	2′ 6⅝″ x 4′ 9″	5
27″ x 28″	2′ 6⅝″ x 5′ 1″	5½
27″ x 30″	2′ 6⅝″ x 5′ 5″	6
30″ x 18″	2′ 9⅝″ x 3′ 5″	5
30″ x 20″	2′ 9⅝″ x 3′ 9″	5
30″ x 22″	2′ 9⅝″ x 4′ 1″	5
30″ x 24″	2′ 9⅝″ x 4′ 5″	5
30″ x 26″	2′ 9⅝″ x 4′ 9″	5½
30″ x 28″	2′ 9⅝″ x 5′ 1″	6
30″ x 30″	2′ 9⅝″ x 5′ 5″	6½
32″ x 24″	2′ 11⅝″ x 4′ 5″	5½
32″ x 26″	2′ 11⅝″ x 4′ 9″	6
32″ x 28″	2′ 11⅝″ x 5′ 1″	6
32″ x 30″	2′ 11⅝″ x 5′ 5″	6½

NINE-LIGHT WINDOWS

1½″ Thick. 1½″ Meeting Rails



Size of Glass	Size of Sash	No. lbs. to each weight
36″ x 24″	3′ 3⅝″ x 4′ 5″	6
36″ x 26″	3′ 3⅝″ x 4′ 9″	6
36″ x 28″	3′ 3⅝″ x 5′ 1″	6½
36″ x 30″	3′ 3⅝″ x 5′ 5″	7
40″ x 24″	3′ 7⅝″ x 4′ 5″	7
40″ x 26″	3′ 7⅝″ x 4′ 9″	7½
40″ x 28″	3′ 7⅝″ x 5′ 1″	7½
40″ x 30″	3′ 7⅝″ x 5′ 5″	8

Weights as above listed are for single thick glass.
All sash are full thickness.

WINDOW WEIGHTS

Length and Sizes of Iron Sash Weights

Weight lbs.	Diameter	Length	Weight lbs.	Diameter	Length
2	1¼″	7″	12	1¾″	20¾″
2½	1¼″	8½″	13	1¾″	22″
3	1¼″	11″	14	1¾″	23½″
3½	1¼″	12½″	15	1¾″	25½″
4	1½″	9½″	16	1¾″	27¾″
4½	1½″	10½″	17	2″	22½″
5	1½″	11¾″	18	2″	23¾″
5½	1½″	12¾″	19	2″	25″
6	1½″	13½″	20	2″	26″
6½	1½″	15″	21	2″	27″
7	1½″	16″	22	2″	28½″
7½	1½″	17″	23	2″	30″
8	1½″	18″	24	2″	31″
8½	1½″	19″	25	2″	32″
9	1¾″	16″	26	2″	33″
9½	1¾″	16⅝″	27	2″	34¼″
10	1¾″	17¼″	28	2″	35½″
10½	1¾″	18″	29	2″	37¼″
11	1¾″	19″	30	2″	38″

Weight Per Foot of Cast Lead

Size	Round	Square	Size	Round	Square
1″	3.87	4.93	2″	15.51	19.75
1⅛″	4.90	6.25	2⅛″	17.51	22.29
1¼″	6.06	7.71	2¼″	19.63	25.00
1⅜″	7.33	9.33	2⅜″	21.80	27.80
1½″	8.72	11.11	2½″	24.24	30.86
1⅝″	10.24	13.04	2⅝″	26.72	34.02
1¾″	11.87	15.12	2¾″	29.33	37.34
1⅞″	13.63	17.36	3″	34.90	43.44

CELLAR SASH
One-light — 1¼″ thick

Size of Glass	Size of Sash	Size of Glass	Size of Sash
7″ x 9″	0′ 10″ x 1′ 0″	10″ x 12″	1′ 1″ x 1′ 3″
8″ x 10″	0′ 11″ x 1′ 1″	10″ x 14″	1′ 1″ x 1′ 5″
9″ x 12″	1′ 0″ x 1′ 3″	10″ x 15″	1′ 1″ x 1′ 6″
9″ x 13″	1′ 0″ x 1′ 4″	10″ x 16″	1′ 1″ x 1′ 7″

CELLAR SASH
Two-light — 1¼″ thick

Size of Glass	Size of Sash	Size of Glass	Size of Sash
7″ x 9″	1′ 5½″ x 1′ 0″	10″ x 12″	1′ 11½″ x 1′ 3″
8″ x 10″	1′ 7½″ x 1′ 1″	10″ x 13″	1′ 11½″ x 1′ 4″
8″ x 12″	1′ 7½″ x 1′ 3″	10″ x 14″	1′ 11½″ x 1′ 5″
9″ x 12″	1′ 9½″ x 1′ 3″	10″ x 15″	1′ 11½″ x 1′ 6″
9″ x 13″	1′ 9½″ x 1′ 4″	10″ x 16″	1′ 11½″ x 1′ 7″
9″ x 14″	1′ 9½″ x 1′ 5″	10″ x 17″	1′ 11½″ x 1′ 8″
9″ x 15″	1′ 9½″ x 1′ 6″	10″ x 18″	1′ 11½″ x 1′ 9″

CELLAR SASH
Three-light — 1¼″ thick

Size of Glass	Size of Sash	Size of Glass	Size of Sash
6″ x 8″	1′ 9⅝″ x 0′ 11″	9″ x 15″	2′ 6⅝″ x 1′ 6″
7″ x 9″	2′ 0⅝″ x 1′ 0″	9″ x 16″	2′ 6⅝″ x 1′ 7″
8″ x 10″	2′ 3⅝″ x 1′ 1″	9″ x 17″	2′ 6⅝″ x 1′ 8″
8″ x 11″	2′ 3⅝″ x 1′ 2″	9″ x 18″	2′ 6⅝″ x 1′ 9″
8″ x 12″	2′ 3⅝″ x 1′ 3″	10″ x 8″	2′ 9⅝″ x 0′ 11″
9″ x 7″	2′ 6⅝″ x 0′ 10″	10″ x 10″	2′ 9⅝″ x 1′ 1″
9″ x 9″	2′ 6⅝″ x 1′ 0″	10″ x 12″	2′ 9⅝″ x 1′ 3″
9″ x 10″	2′ 6⅝″ x 1′ 1″	10″ x 13″	2′ 9⅝″ x 1′ 4″
9″ x 11″	2′ 6⅝″ x 1′ 2″	10″ x 14″	2′ 9⅝″ x 1′ 5″
9″ x 12″	2′ 6⅝″ x 1′ 3″	10″ x 15″	2′ 9⅝″ x 1′ 6″
9″ x 13″	2′ 6⅝″ x 1′ 4″	10″ x 16″	2′ 9⅝″ x 1′ 7″
9″ x 14″	2′ 6⅝″ x 1′ 5″	10″ x 17″	2′ 9⅝″ x 1′ 8″

CELLAR SASH—Continued
Three Lights—1¼″ thick

Size of Glass	Size of Sash	Size of Glass	Size of Sash
10″ x 18″	2′ 9⅝″ x 1′ 9″	11″ x 18″	3′ 0⅝″ x 1′ 9″
10″ x 20″	2′ 9⅝″ x 1′ 11″	12″ x 14″	3′ 3⅝″ x 1′ 5″
11″ x 14″	3′ 0⅝″ x 1′ 5″	12″ x 15″	3′ 3⅝″ x 1′ 6″
11″ x 15″	3′ 0⅝″ x 1′ 6″	12″ x 16″	3′ 3⅝″ x 1′ 7″
11″ x 16″	3′ 0⅝″ x 1′ 7″	12″ x 18″	3′ 3⅝″ x 1′ 9″
11″ x 17″	3′ 0⅝″ x 1′ 8″	12″ x 20″	3′ 3⅝″ x 1′ 11″

CELLAR SASH
Four Lights — 1¼″ thick

Size of Glass	Size of Sash	Size of Glass	Size of Sash
6″ x 8″	2′ 3¾″ x 0′ 11″	9″ x 13″	3′ 3¾″ x 1′ 4″
7″ x 9″	2′ 7¾″ x 1′ 0″	10″ x 12″	3′ 7¾″ x 1′ 3″
8″ x 10″	3′ 11¾″ x 1′ 1″	10″ x 14″	3′ 7¾″ x 1′ 5″
8″ x 12″	2′ 11¾″ x 1′ 3″	10″ x 15″	3′ 7¾″ x 1′ 6″
9″ x 12″	3′ 3¾″ x 1′ 3″		

CELLAR SASH
Two lights wide, Two lights high — 1¼″ thick

Size of Glass	Size of Sash	Size of Glass	Size of Sash
6″ x 8″	1′ 3½″ x 1′ 7⅜″	9″ x 13″	1′ 9½″ x 2′ 5⅜″
7″ x 9″	1′ 5½″ x 1′ 9⅜″	10″ x 12″	1′ 11½″ x 2′ 3⅜″
8″ x 10″	1′ 7½″ x 1′ 11⅜″	10″ x 14″	1′ 11½″ x 2′ 7⅜″
8″ x 12″	1′ 7½″ x 2′ 3⅜″	10″ x 15″	1′ 11½″ x 2′ 9⅜″
9″ x 12″	1′ 9½″ x 2′ 3⅜″		

CELLAR SASH
Six Lights — 1¼″ thick

Size of Glass	Size of Sash	Size of Glass	Size of Sash
8″ x 10″	2′ 3⅝″ x 1′ 11⅜″	9″ x 14″	2′ 6⅝″ x 2′ 7⅜″
8″ x 12″	2′ 3⅝″ x 2′ 3⅜″	10″ x 12″	2′ 9⅝″ x 2′ 3⅜″
9″ x 12″	2′ 6⅝″ x 2′ 3⅜″	10″ x 14″	2′ 9⅝″ x 2′ 7⅜″
9″ x 13″	2′ 6⅝″ x 2′ 5⅜″	10″ x 15″	2′ 9⅝″ x 2′ 9⅜″

BORDER LIGHT SASH
1½″ thick

2′ 0″ x 2′ 0″		13 lts.
2′ 2″ x 2′ 2″		13 lts.
2′ 4″ x 2′ 4″		13 lts.
2′ 6″ x 2′ 6″		13 lts.



13 Light

BORDER LIGHT SASH
1½″ thick

2′ 0″ x 2′ 6″		15 lts.
2′ 0″ x 3′ 0″		15 lts.
2′ 6″ x 2′ 0″		15 lts.
3′ 0″ x 2′ 0″		15 lts.



15 Light

BORDER LIGHT SASH
1½″ thick

2′ 9″ x 2′ 9″		17 lts.



17 Light

SINGLE SASH
One Light, 1½″ thick

2′ 0″ x 2′ 0″
2′ 0″ x 2′ 6″
2′ 0″ x 3′ 0″
2′ 2″ x 2′ 2″
2′ 4″ x 2′ 4″
2′ 6″ x 2′ 0″
2′ 6″ x 2′ 6″
2′ 9″ x 2′ 9″
3′ 0″ x 2′ 0″

Glazed, with colored or plain glass
All sash full thickness

SKYLIGHT SASH

3-light wide

2′ 0″ x 2′ 6″	1½″
2′ 0″ x 3′ 0″	1½″
2′ 2″ x 3′ 2″	1½″
2′ 4″ x 3′ 4″	1½″
2′ 6″ x 3′ 0″	1½″
2′ 6″ x 3′ 6″	1½″
2′ 6″ x 4′ 0″	1½″
3′ 0″ x 4′ 0″	1½″
3′ 0″ x 5′ 0″	1½″

HOTBED SASH

4-light wide

3′ 0″ x 6′ 0″	1¾″	8″	glass

HOTBED SASH

5-light wide

3′ 0″ x 6′ 0″	1½″	1¾″	6″	glass

We Make to Order

Any size or style of skylight or hot-bed sash.

STORM SASH

Twelve Lights — 1¼″ thick

Size of Glass	Size of Sash	Size of Glass	Size of Sash
7″ x 9″	2′ 1″ x 3′ 6″	9″ x 16″	2′ 7″ x 5′ 10″
*7″ x 9″	2′ 1″ x 4′ 3″	10″ x 12″	2′ 10″ x 4′ 6″
8″ x 10″	2′ 4″ x 3′ 10″	10″ x 13″	2′ 10″ x 4′ 10″
8″ x 11″	2′ 4″ x 4′ 2″	10″ x 14″	2′ 10″ x 5′ 2″
*8″ x 10″	2′ 4″ x 4′ 8″	10″ x 15″	2′ 10″ x 5′ 6″
8″ x 12″	2′ 4″ x 4′ 6″	10″ x 16″	2′ 10″ x 5′ 10″
9″ x 11″	2′ 7″ x 4′ 2″	10″ x 17″	2′ 10″ x 6′ 2″
9″ x 12″	2′ 7″ x 4′ 6″	10″ x 18″	2′ 10″ x 6′ 6″
9″ x 13″	2′ 7″ x 4′ 10″	12″ x 16″	3′ 4″ x 5′ 10″
9″ x 14″	2′ 7″ x 5′ 2″	12″ x 18″	3′ 4″ x 6′ 6″
9″ x 15″	2′ 7″ x 5′ 6″		

*These are fifteen lights.
Slide lights furnished in any size sash.

STORM SASH

Four Lights — 1¼″ thick

Size of Glass	Size of Sash	Size of Glass	Size of Sash
10½″ x 18″	2′ 1″ x 3′ 6″	13½″ x 20″	2′ 7″ x 3′ 10″
10½″ x 22½″	2′ 1″ x 4′ 3″	13½″ x 22″	2′ 7″ x 4′ 2″
12″ x 20″	2′ 4″ x 3′ 10″	13½″ x 24″	2′ 7″ x 4′ 6″
12″ x 22″	2′ 4″ x 4′ 2″	13½″ x 26″	2′ 7″ x 4′ 10″
12″ x 24″	2′ 4″ x 4′ 6″	13½″ x 28″	2′ 7″ x 5′ 2″
12″ x 26″	2′ 4″ x 4′ 10″	13½″ x 30″	2′ 7″ x 5′ 6″
12″ x 28″	2′ 4″ x 5′ 2″	13½″ x 32″	2′ 7″ x 5′ 10″
12″ x 30″	2′ 4″ x 5′ 6″	13½″ x 34″	2′ 7″ x 6′ 2″
13½″ x 16″	2′ 7″ x 3′ 2″	14″ x 24″	2′ 8″ x 4′ 6″
13½″ x 18″	2′ 7″ x 3′ 6″	14″ x 26″	2′ 8″ x 4′ 10″

STORM SASH — Continued

Four Lights — 1¼″ thick

Size of Glass	Size of Sash	Size of Glass	Size of Sash
14″ x 28″	2′ 8″ x 5′ 2″	16″ x 30″	3′ 0″ x 5′ 6″
14″ x 30″	2′ 8″ x 5′ 6″	16″ x 32″	3′ 0″ x 5′ 10″
14″ x 32″	2′ 8″ x 5′ 10″	16″ x 34″	3′ 0″ x 6′ 2″
15″ x 18″	2′ 10″ x 3′ 6″	16″ x 36″	3′ 0″ x 6′ 6″
15″ x 20″	2′ 10″ x 3′ 10″	18″ x 24″	3′ 4″ x 4′ 6″
15″ x 22″	2′ 10″ x 4′ 2″	18″ x 26″	3′ 4″ x 4′ 10″
15″ x 24″	2′ 10″ x 4′ 6″	18″ x 28″	3′ 4″ x 5′ 2″
15″ x 26″	2′ 10″ x 4′ 10″	18″ x 30″	3′ 4″ x 5′ 6″
15″ x 28″	2′ 10″ x 5′ 2″	18″ x 32″	3′ 4″ x 5′ 10″
15″ x 30″	2′ 10″ x 5′ 6″	18″ x 34″	3′ 4″ x 6′ 2″
15″ x 32″	2′ 10″ x 5′ 10″	18″ x 36″	3′ 4″ x 6′ 6″
15″ x 34″	2′ 10″ x 6′ 2″	20″ x 24″	3′ 8″ x 4′ 6″
15″ x 36″	2′ 10″ x 6′ 6″	20″ x 26″	3′ 8″ x 4′ 10″
16″ x 24″	3′ 0″ x 4′ 6″	20″ x 28″	3′ 8″ x 5′ 2″
16″ x 26″	3′ 0″ x 4′ 10″	20″ x 30″	3′ 8″ x 5′ 6″
16″ x 28″	3′ 0″ x 5′ 2″	20″ x 32″	3′ 8″ x 5′ 10″

STORM SASH

Two Lights — 1¼″ thick

Size of Glass	Size of Sash	Size of Glass	Size of Sash
12″ x 24″	1′ 4″ x 4′ 6″	16″ x 26″	1′ 8″ x 4′ 10″
13½″ x 24″	1′ 5½″ x 4′ 6″	16″ x 28″	1′ 8″ x 5′ 2″
13½″ x 26″	1′ 5½″ x 4′ 10″	16″ x 30″	1′ 8″ x 5′ 6″
13½″ x 28″	1′ 5½″ x 5′ 2″	18″ x 24″	1′ 10″ x 4′ 6″
13½″ x 30″	1′ 5½″ x 5′ 6″	18″ x 26″	1′ 10″ x 4′ 10″
15″ x 24″	1′ 7″ x 4′ 6″	18″ x 28″	1′ 10″ x 5′ 2″
15″ x 26″	1′ 7″ x 4′ 10″	18″ x 30″	1′ 10″ x 5′ 6″
15″ x 28″	1′ 7″ x 5′ 2″	20″ x 24″	2′ 0″ x 4′ 6″
15″ x 30″	1′ 7″ x 5′ 6″	20″ x 26″	2′ 0″ x 4′ 10″
15″ x 32″	1′ 7″ x 5′ 10″	20″ x 28″	2′ 0″ x 5′ 2″
16″ x 24″	1′ 8″ x 4′ 6″	20″ x 30″	2′ 0″ x 5′ 6″

Slide lights furnished in any size sash.

SPECIAL DESIGNS

We show these designs of Windows, Sash and French Windows, as suggestions. They are subject to any variations which size or other conditions may require. The number of lights may be increased or decreased, or modified to suit the taste of the purchaser.

We make odd and fancy windows of any design and detail and of any kind of wood.

S1

S2



S3

S4

S5

S6

S7



S8



S9



S10



S11



S12

SPECIAL DESIGNS

S13



S14



S15

S16

S17



S18



S19



S20

Windows and sash in any of these designs made to order in any size and thickness.



BLINDS
TWELVE LIGHTS, PAIRS
1¼″ Full thickness

All twelve-light and fifteen-light blinds are listed under corresponding four-light sizes.



½ Roll — **BLINDS** — Stationary

Four Lights, Pairs — 1¼″ full thickness

Size of Glass	Outside Dimension		
10½″ x 18″	2′ 0⅝″ x 3′ 5½″	½ Roll	Stationary
10½″ x 22½″	2′ 0⅝″ x 4′ 2½″	½ Roll	Stationary
12″ x 16″	2′ 3⅝″ x 3′ 1½″	½ Roll	Stationary
12″ x 18″	2′ 3⅝″ x 3′ 5½″	½ Roll	Stationary
12″ x 20″	2′ 3⅝″ x 3′ 9½″	½ Roll	Stationary
12″ x 22″	2′ 3⅝″ x 4′ 1½″	½ Roll	Stationary
12″ x 24″	2′ 3⅝″ x 4′ 5½″	½ Roll	Stationary
12″ x 25″	2′ 3⅝″ x 4′ 7½″	½ Roll	Stationary
12″ x 26″	2′ 3⅝″ x 4′ 9½″	½ Roll	Stationary
12″ x 28″	2′ 3⅝″ x 5′ 1½″	½ Roll	Stationary
12″ x 30″	2′ 3⅝″ x 5′ 5½″	½ Roll	Stationary
12″ x 32″	2′ 3⅝″ x 5′ 9½″	½ Roll	
13½″ x 16″	2′ 6⅝″ x 3′ 1½″	½ Roll	Stationary
13½″ x 18″	2′ 6⅝″ x 3′ 5½″	½ Roll	Stationary
13½″ x 20″	2′ 6⅝″ x 3′ 9½″	½ Roll	Stationary
13½″ x 22″	2′ 6⅝″ x 4′ 1½″	½ Roll	Stationary
13½″ x 24″	2′ 6⅝″ x 4′ 5½″	½ Roll	Stationary
13½″ x 26″	2′ 6⅝″ x 4′ 9½″	½ Roll	Stationary
13½″ x 28″	2′ 6⅝″ x 5′ 1½″	½ Roll	Stationary
13½″ x 30″	2′ 6⅝″ x 5′ 5½″	½ Roll	Stationary
13½″ x 32″	2′ 6⅝″ x 5′ 9½″	½ Roll	Stationary
14″ x 18″	2′ 7⅝″ x 3′ 5½″	½ Roll	Stationary
14″ x 20″	2′ 7⅝″ x 3′ 9½″	½ Roll	Stationary
14″ x 22″	2′ 7⅝″ x 4′ 1½″	½ Roll	Stationary
14″ x 24″	2′ 7⅝″ x 4′ 5½″	½ Roll	Stationary
14″ x 26″	2′ 7⅝″ x 4′ 9½″	½ Roll	Stationary
14″ x 28″	2′ 7⅝″ x 5′ 1½″	½ Roll	Stationary
14″ x 30″	2′ 7⅝″ x 5′ 5½″	½ Roll	Stationary
14″ x 32″	2′ 7⅝″ x 5′ 9½″	½ Roll	Stationary

BLINDS — Four Lights, Pairs — Continued

Size of Glass	Outside Dimension		
15″ x 16″	2′ 9⅝″ x 3′ 1½″	½ Roll	Stationary
15″ x 18″	2′ 9⅝″ x 3′ 5½″	½ Roll	Stationary
15″ x 20″	2′ 9⅝″ x 3′ 9½″	½ Roll	Stationary
15″ x 22″	2′ 9⅝″ x 4′ 1½″	½ Roll	Stationary
15″ x 24″	2′ 9⅝″ x 4′ 5½″	½ Roll	Stationary
15″ x 26″	2′ 9⅝″ x 4′ 9½″	½ Roll	Stationary
15″ x 28″	2′ 9⅝″ x 5′ 1½″	½ Roll	Stationary
15″ x 30″	2′ 9⅝″ x 5′ 5½″	½ Roll	Stationary
15″ x 32″	2′ 9⅝″ x 5′ 9½″	½ Roll	Stationary
15″ x 34″	2′ 9⅝″ x 6′ 1½″	½ Roll	Stationary
15″ x 36″	2′ 9⅝″ x 6′ 5½″	½ Roll	Stationary
16″ x 18″	2′ 11⅝″ x 3′ 5½″	½ Roll	Stationary
16″ x 20″	2′ 11⅝″ x 3′ 9½″	½ Roll	Stationary
16″ x 22″	2′ 11⅝″ x 4′ 1½″	½ Roll	Stationary
16″ x 24″	2′ 11⅝″ x 4′ 5½″	½ Roll	Stationary
16″ x 26″	2′ 11⅝″ x 4′ 9½″	½ Roll	Stationary
16″ x 28″	2′ 11⅝″ x 5′ 1½″	½ Roll	Stationary
16″ x 30″	2′ 11⅝″ x 5′ 5½″	½ Roll	Stationary
16″ x 32″	2′ 11⅝″ x 5′ 9½″	½ Roll	Stationary
16″ x 34″	2′ 11⅝″ x 6′ 1½″	½ Roll	
16″ x 36″	2′ 11⅝″ x 6′ 5½″	½ Roll	
16½″ x 26″	3′ 0⅝″ x 4′ 9½″	½ Roll	Stationary
16½″ x 28″	3′ 0⅝″ x 5′ 1½″	½ Roll	Stationary
16½″ x 30″	3′ 0⅝″ x 5′ 5½″	½ Roll	Stationary
16½″ x 32″	3′ 0⅝″ x 5′ 9½″	½ Roll	
18″ x 18″	3′ 3⅝″ x 3′ 5½″	½ Roll	Stationary
18″ x 20″	3′ 3⅝″ x 3′ 9½″	½ Roll	Stationary
18″ x 22″	3′ 3⅝″ x 4′ 1½″	½ Roll	Stationary
18″ x 24″	3′ 3⅝″ x 4′ 5½″	½ Roll	Stationary
18″ x 26″	3′ 3⅝″ x 4′ 9½″	½ Roll	Stationary
18″ x 28″	3′ 3⅝″ x 5′ 1½″	½ Roll	Stationary
18″ x 30″	3′ 3⅝″ x 5′ 5½″	½ Roll	Stationary
18″ x 32″	3′ 3⅝″ x 5′ 9½″	½ Roll	Stationary
18″ x 34″	3′ 3⅝″ x 6′ 1½″	½ Roll	
18″ x 36″	3′ 3⅝″ x 6′ 5½″	½ Roll	
20″ x 24″	3′ 7⅝″ x 4′ 5½″	½ Roll	Stationary
20″ x 26″	3′ 7⅝″ x 4′ 9½″	½ Roll	Stationary
20″ x 28″	3′ 7⅝″ x 5′ 1½″	½ Roll	Stationary
20″ x 30″	3′ 7⅝″ x 5′ 5½″	½ Roll	Stationary

BLINDS — Two Lights, Pairs

Size of Glass	Outside Dimensions		
12″ x 18″	1′ 3⅝″ x 3′ 5½″	½ Roll	Stationary
12″ x 20″	1′ 3⅝″ x 3′ 9½″	½ Roll	Stationary
12″ x 24″	1′ 3⅝″ x 4′ 5½″	½ Roll	Stationary
13½″ x 18″	1′ 5⅛″ x 3′ 5½″	½ Roll	Stationary
13½″ x 20″	1′ 5⅛″ x 3′ 9½″	½ Roll	Stationary
13½″ x 24″	1′ 5⅛″ x 4′ 5½″	½ Roll	Stationary
13½″ x 26″	1′ 5⅛″ x 4′ 9½″	½ Roll	Stationary
13½″ x 28″	1′ 5⅛″ x 5′ 1½″	½ Roll	Stationary
13½″ x 30″	1′ 5⅛″ x 5′ 5½″	½ Roll	Stationary
15″ x 18″	1′ 6⅝″ x 3′ 5½″	½ Roll	Stationary
15″ x 20″	1′ 6⅝″ x 3′ 9½″	½ Roll	Stationary
15″ x 22″	1′ 6⅝″ x 4′ 1½″	½ Roll	Stationary
15″ x 24″	1′ 6⅝″ x 4′ 5½″	½ Roll	Stationary
15″ x 26″	1′ 6⅝″ x 4′ 9½″	½ Roll	Stationary
15″ x 28″	1′ 6⅝″ x 5′ 1½″	½ Roll	Stationary
15″ x 30″	1′ 6⅝″ x 5′ 5½″	½ Roll	Stationary
15″ x 32″	1′ 6⅝″ x 5′ 9½″	½ Roll	
16″ x 18″	1′ 7⅝″ x 3′ 5½″	½ Roll	Stationary
16″ x 20″	1′ 7⅝″ x 3′ 9½″	½ Roll	Stationary
16″ x 24″	1′ 7⅝″ x 4′ 5½″	½ Roll	Stationary
16″ x 26″	1′ 7⅝″ x 4′ 9½″	½ Roll	Stationary
16″ x 28″	1′ 7⅝″ x 5′ 1½″	½ Roll	Stationary
16″ x 30″	1′ 7⅝″ x 5′ 5½″	½ Roll	Stationary
16″ x 32″	1′ 7⅝″ x 5′ 9½″	½ Roll	
18″ x 18″	1′ 9½″ x 3′ 5½″	½ Roll	Stationary
18″ x 20″	1′ 9½″ x 3′ 9½″	½ Roll	Stationary
18″ x 22″	1′ 9½″ x 4′ 1½″	½ Roll	Stationary
18″ x 24″	1′ 9½″ x 4′ 5½″	½ Roll	Stationary
18″ x 26″	1′ 9½″ x 4′ 9½″	½ Roll	Stationary
18″ x 28″	1′ 9½″ x 5′ 1½″	½ Roll	Stationary
18″ x 30″	1′ 9½″ x 5′ 5½″	½ Roll	Stationary
18″ x 32″	1′ 9½″ x 5′ 9½″	½ Roll	
20″ x 16″	1′ 11⅝″ x 3′ 1½″	½ Roll	Stationary
20″ x 18″	1′ 11⅝″ x 3′ 5½″	½ Roll	Stationary
20″ x 20″	1′ 11⅝″ x 3′ 9½″	½ Roll	Stationary
20″ x 22″	1′ 11⅝″ x 4′ 1½″	½ Roll	Stationary
20″ x 24″	1′ 11⅝″ x 4′ 5½″	½ Roll	Stationary
20″ x 26″	1′ 11⅝″ x 4′ 9½″	½ Roll	Stationary

BLINDS — Two Lights, Pairs — Continued

Size of Glass	Outside Dimensions		
20″ x 28″	1′ 11⅝″ x 5′ 1½″	½ Roll	Stationary
20″ x 30″	1′ 11⅝″ x 5′ 5½″	½ Roll	Stationary
20″ x 32″	1′ 11⅝″ x 5′ 9½″	½ Roll	
22″ x 24″	2′ 1⅝″ x 4′ 5½″	½ Roll	Stationary
22″ x 26″	2′ 1⅝″ x 4′ 9½″	½ Roll	Stationary
22″ x 28″	2′ 1⅝″ x 5′ 1½″	½ Roll	Stationary
22″ x 30″	2′ 1⅝″ x 5′ 5½″	½ Roll	Stationary

SINGLE BLINDS

Two Lights

Size of Glass	Outside Dimensions		
13½″ x 20″	1′ 5⅛″ x 3′ 9½″	½ Roll	Stationary
13½″ x 24″	1′ 5⅛″ x 4′ 5½″	½ Roll	Stationary
13½″ x 26″	1′ 5⅛″ x 4′ 9½″	½ Roll	Stationary
13½″ x 28″	1′ 5⅛″ x 5′ 1½″	½ Roll	Stationary
13½″ x 30″	1′ 5⅛″ x 5′ 5½″	½ Roll	Stationary
15″ x 20″	1′ 6⅝″ x 3′ 9½″	½ Roll	Stationary
15″ x 24″	1′ 6⅝″ x 4′ 5½″	½ Roll	Stationary
15″ x 26″	1′ 6⅝″ x 4′ 9½″	½ Roll	Stationary
15″ x 28″	1′ 6⅝″ x 5′ 1½″	½ Roll	Stationary
15″ x 30″	1′ 6⅝″ x 5′ 5½″	½ Roll	Stationary
15″ x 32″	1′ 6⅝″ x 5′ 9½″	½ Roll	
16″ x 24″	1′ 7⅝″ x 4′ 5½″	½ Roll	Stationary
16″ x 26″	1′ 7⅝″ x 4′ 9½″	½ Roll	Stationary
16″ x 28″	1′ 7⅝″ x 5′ 1½″	½ Roll	Stationary
16″ x 30″	1′ 7⅝″ x 5′ 5½″	½ Roll	Stationary
18″ x 24″	1′ 9⅝″ x 4′ 5½″	½ Roll	Stationary
18″ x 26″	1′ 9⅝″ x 4′ 9½″	½ Roll	Stationary
18″ x 28″	1′ 9⅝″ x 5′ 1½″	½ Roll	Stationary
18″ x 30″	1′ 9⅝″ x 5′ 5½″	½ Roll	Stationary
18″ x 32″	1′ 9⅝″ x 5′ 9½″	½ Roll	Stationary
20″ x 28″	1′ 11⅝″ x 5′ 1½″	½ Roll	



BLINDS

Four Folds — Four Lights



Size of Glass	Outside Dimensions		
13½″ x 24″	2′ 6⅝″ x 4′ 5½″	½ Roll	Stationary
13½″ x 26″	2′ 6⅝″ x 4′ 9½″	½ Roll	Stationary
13½″ x 28″	2′ 6⅝″ x 5′ 1½″	½ Roll	Stationary
13½″ x 30″	2′ 6⅝″ x 5′ 5½″	½ Roll	Stationary
13½″ x 32″	2′ 6⅝″ x 5′ 9½″	½ Roll	Stationary
14″ x 28″	2′ 7⅝″ x 5′ 1½″	½ Roll	
14″ x 30″	2′ 7⅝″ x 5′ 5½″	½ Roll	
15″ x 24″	2′ 9⅝″ x 4′ 5½″	½ Roll	Stationary
15″ x 26″	2′ 9⅝″ x 4′ 9½″	½ Roll	Stationary
15″ x 28″	2′ 9⅝″ x 5′ 1½″	½ Roll	Stationary
15″ x 30″	2′ 9⅝″ x 5′ 5½″	½ Roll	Stationary
15″ x 32″	2′ 9⅝″ x 5′ 9½″	½ Roll	
16″ x 24″	2′ 11⅝″ x 4′ 5½″	½ Roll	Stationary
16″ x 26″	2′ 11⅝″ x 4′ 9½″	½ Roll	Stationary
16″ x 28″	2′ 11⅝″ x 5′ 1½″	½ Roll	Stationary
16″ x 30″	2′ 11⅝″ x 5′ 5½″	½ Roll	Stationary
16″ x 32″	2′ 11⅝″ x 5′ 9½″	½ Roll	
18″ x 24″	3′ 3⅝″ x 4′ 5½″	½ Roll	
18″ x 26″	3′ 3⅝″ x 4′ 9½″	½ Roll	Stationary
18″ x 28″	3′ 3⅝″ x 5′ 1½″	½ Roll	Stationary
18″ x 30″	3′ 3⅝″ x 5′ 5½″	½ Roll	Stationary
18″ x 32″	3′ 3⅝″ x 5′ 9½″	½ Roll	
20″ x 24″	3′ 7⅝″ x 4′ 5½″	½ Roll	
20″ x 26″	3′ 7⅝″ x 4′ 9½″	½ Roll	
20″ x 28″	3′ 7⅝″ x 5′ 1½″	½ Roll	
20″ x 30″	3′ 7⅝″ x 5′ 5½″	½ Roll	

BLINDS FOR BRICK BUILDINGS

Four Lights — 1¼″ full thickness

Size of Glass	Outside Dimensions	
15″ x 26″	2′ 9⅝″ x 4′ 11″	Stationary
15″ x 28″	2′ 9⅝″ x 5′ 3″	Stationary
15″ x 30″	2′ 9⅝″ x 5′ 7″	Stationary
15″ x 32″	2′ 9⅝″ x 5′ 11″	Stationary

DOOR MOULDINGS

As Used on Our Stock Doors

Raised and flush mouldings used on all Pine F. Doors.



Raised and flush mouldings used on all Cypress F. Doors



Flush moulding used on Four Panel flush moulded Pine Doors.



Two-bead flush moulding used on Cypress Doors — Four Panel and Five Cross Panel



O. G. moulding used on 1⅛″ and 1¼″ Pine and Cypress Four Panel Doors.

Bead and cove moulding used on 1⅜″ Five Cross Panel Fir Doors.



Bead and cove moulding used on 1¾″ Five Cross Panel Fir Doors.



Cove and bead moulding used on all Two Panel Birch and Klimax Doors.



Bead and cove moulding used on Five Cross Panel solid moulded Cypress Doors.



O G. RAISED PANEL DOORS

PINE DOORS
Four Panel — O. G. Raised Panel

2′	0″ x 6′	0″	1⅛″		2′	2″ x 6′	6″	1⅛″	1⅜″
2′	2″ x 6′	0″	1⅛″		2′	4″ x 6′	6″	1⅛″	1⅜″
2′	4″ x 6′	0″	1⅛″		2′	6″ x 6′	6″	1⅛″	1⅜″
2′	6″ x 6′	0″	1⅛″		2′	0″ x 6′	8″	1⅛″	1⅜″
2′	0″ x 6′	4″	1⅛″		2′	2″ x 6′	8″	1⅛″	1⅜″
2′	2″ x 6′	4″	1⅛″		2′	4″ x 6′	8″	1⅛″	1⅜″
2′	4″ x 6′	4″	1⅛″		2′	6″ x 6′	8″	1⅛″	1⅜″
2′	6″ x 6′	4″	1⅛″		2′	8″ x 6′	8″	1⅛″	1⅜″
2′	0″ x 6′	6″	1⅛″	1⅜″					

CYPRESS DOORS
Four Panel — O. G. Raised Panel

2′	0″ x 6′	0″	1⅛″		2′	4″ x 6′	6″	1⅛″	1⅜″
2′	2″ x 6′	0″	1⅛″		2′	6″ x 6′	6″	1⅛″	1⅜″
2′	4″ x 6′	0″	1⅛″		2′	8″ x 6′	6″		1⅜″
2′	6″ x 6′	0″	1⅛″		2′	0″ x 6′	8″	1⅛″	1⅜″
2′	4″ x 6′	4″	1⅛″		2′	2″ x 6′	8″	1⅛″	1⅜″
2′	6″ x 6′	4″	1⅛″		2′	4″ x 6′	8″	1⅛″	1⅜″
2′	0″ x 6′	6″	1⅛″	1⅜″	2′	6″ x 6′	8″	1⅛″	1⅜″
2′	2″ x 6′	6″	1⅛″	1⅜″	2′	8″ x 6′	8″	1⅛″	1⅜″

PAINTED DOORS
Four Panel—O. G. Raised Panel

2′	4″ x 6′	6″	1⅛	
2′	6″ x 6′	6″	1⅛	1⅜
2′′	6″ x 6′	8″		1⅜
2′	8″ x 6′	8″	1⅛	1⅜



PINE DOORS

Four Panel

Flush Moulding Two Sides

*2′	0″ x 6′	0″	1⅜″	
*2′	2″ x 6′	0″	1⅜″	
*2′	4″ x 6′	0″	1⅜″	
*2′	6″ x 6′	0″	1⅜″	
*2′	8″ x 6′	0″	1⅜″	
*2′	0″ x 6′	2″	1⅜″	
*2′	2″ x 6′	2″	1⅜″	
*2′	4″ x 6′	2″	1⅜″	
*2′	6″ x 6′	2″	1⅜″	
*2′	8″ x 6′	2″	1⅜″	
*2′	0″ x 6′	4″	1⅜″	
*2′	2″ x 6′	4″	1⅜″	
*2′	4″ x 6′	4″	1⅜″	
*2′	6″ x 6′	4″	1⅜″	
*2′	8″ x 6′	4″	1⅜″	
*2′	0″ x 6′	6″	1⅜″	
*2′	2″ x 6′	6″	1⅜″	
*2′	4″ x 6′	6″	1⅜″	
2′	6″ x 6′	6″	1⅜″	1¾″
2′	8″ x 6′	6″	1⅜″	
2′	10″ x 6′	6″	1⅜″	
3′	0″ x 6′	6″	1⅜″	
*2′	0″ x 6′	8″	1⅜″	
*2′	2″ x 6′	8″	1⅜″	
2′	4″ x 6′	8″	1⅜″	
2′	6″ x 6′	8″	1⅜″	1¾″
2′	8″ x 6′	8″	1⅜″	1¾″
2′	10″ x 6′	8″	1⅜″	
3′	0″ x 6′	8″	1⅜″	1¾″
2′	0″ x 6′	10″	1⅜″	
2′	2″ x 6′	10″	1⅜″	
2′	4″ x 6′	10″	1⅜″	
2′	6″ x 6′	10″	1⅜″	1¾″
2′	8″ x 6′	10″	1⅜″	1¾″
2′	10″ x 6′	10″	1⅜″	1¾″
3′	0″ x 6′	10″	1⅜″	
2′	0″ x 7′	0″	1⅜″	
2′	2″ x 7′	0″	1⅜″	
2′	4″ x 7′	0″	1⅜″	
2′	6″ x 7′	0″	1⅜″	1¾″
2′	8″ x 7′	0″	1⅜″	1¾″
2′	10″ x 7′	0″	1⅜″	1¾″
3′	0″ x 7′	0″	1⅜″	1¾″
3′	6″ x 7′	0″		1¾″
3′	0″ x 7′	6″		1¾″

All of above sizes in stock in No. 1 and No. 2 quality, except those marked *, which are No. 2 quality only

CYPRESS DOORS

Four Panel

Flush Moulding

2′ 0″ x 6′ 0″	1⅜″		2′ 2″ x 6′ 8″	1⅜″	
2′ 2″ x 6′ 0″	1⅜″		2′ 4″ x 6′ 8″	1⅜″	
2′ 4″ x 6′ 0″	1⅜″		2′ 6″ x 6′ 8″	1⅜″	
2′ 6″ x 6′ 0″	1⅜″		2′ 8″ x 6′ 8″	1⅜″	1¾″
2′ 4″ x 6′ 4″	1⅜″		2′ 6″ x 6′ 10″	1⅜″	
2′ 6″ x 6′ 4″	1⅜″		2′ 8″ x 6′ 10″	1⅜″	
2′ 0″ x 6′ 6″	1⅜″		2′ 10″ x 6′ 10″	1⅜″	1¾″
2′ 2″ x 6′ 6″	1⅜″		2′ 6″ x 7′ 0″	1⅜″	
2′ 4″ x 6′ 6″	1⅜″		2′ 8″ x 7′ 0″	1⅜″	
2′ 6″ x 6′ 6″	1⅜″		2′ 10″ x 7′ 0″	1⅜″	
2′ 8″ x 6′ 6″	1⅜″		3′ 0″ x 7′ 0″	1⅜″	1¾″
2′ 0″ x 6′ 8″	1⅜″				

BULKHEAD DOORS — PINE

Flush Moulding Two Sides

2′ 8″ x 5′ 0″	1¾″	4 Cross Panels
2′ 8″ x 6′ 0″	1¾″	5 Cross Panels
3′ 0″ x 5′ 0″	1¾″	4 Cross Panels
3′ 0″ x 6′ 0″	1¾″	5 Cross Panels

These doors are especially made for bulkheads where short doors are required. We can furnish any of the above doors with glass.

We Are Always Glad

To furnish estimates on any kind of work in our line.

CYPRESS DOORS

Five Cross Panel

Flush Moulding



2′	0″ x 6′	0″	1⅜″		2′	0″ x 6′	8″	1⅜″	
2′	2″ x 6′	0″	1⅜″		2′	2″ x 6′	8″	1⅜″	
2′	4″ x 6′	0″	1⅜″		2′	4″ x 6′	8″	1⅜″	
2′	6″ x 6′	0″	1⅜″		2′	6″ x 6′	8″	1⅜″	1¾″
2′	8″ x 6′	0″	1⅜″		2′	8″ x 6′	8″	1⅜″	1¾″
3′	0″ x 6′	0″		1¾″	2′	10″ x 6′	8″	1⅜″	
2′	0″ x 6′	2″	1⅜″		3′	0″ x 6′	8″	1⅜″	
2′	2″ x 6′	2″	1⅜″		2′	0″ x 6′	10″	1⅜″	
2′	4″ x 6′	2″	1⅜″		2′	2″ x 6′	10″	1⅜″	
2′	6″ x 6′	2″	1⅜″		2′	4″ x 6′	10″	1⅜″	
2′	8″ x 6′	2″	1⅜″		2′	6″ x 6′	10″	1⅜″	
2′	0″ x 6′	4″	1⅜″		2′	8″ x 6′	10″	1⅜″	
2′	2″ x 6′	4″	1⅜″		2′	10″ x 6′	10″	1⅜″	1¾″
2′	4″ x 6′	4″	1⅜″		3′	0″ x 6′	10″	1⅜″	
2′	6″ x 6′	4″	1⅜″		2′	0″ x 7′	0″	1⅜″	
2′	8″ x 6′	4″	1⅜″		2′	2″ x 7′	0″	1⅜″	
2′	0″ x 6′	6″	1⅜″		2′	4″ x 7′	0″	1⅜″	
2′	2″ x 6′	6″	1⅜″		2′	6″ x 7′	0″	1⅜″	1¾″
2′	4″ x 6′	6″	1⅜″		2′	8″ x 7′	0″	1⅜″	1¾″
2′	6″ x 6′	6″	1⅜″	1¾″	2′	10″ x 7′	0″	1⅜″	1¾″
2′	8″ x 6′	6″	1⅜″		3′	0″ x 7′	0″	1⅜″	1¾″
2′	10″ x 6′	6″	1⅜″		3′	6″ x 7′	0″		1¾″
3′	0″ x 6′	6″	1⅜″						

Glass Doors

We can furnish glass doors in any of the above sizes by removing one or more panels and rails, and replacing with glass of any kind.



FIR DOORS

Five Cross Panel

Bead and Cove Moulding, Light Raised Panel

2′	0″ x 6′	0″	1 3/8″	
2′	2″ x 6′	0″	1 3/8″	
2′	4″ x 6′	0″	1 3/8″	
2′	6″ x 6′	0″	1 3/8″	
2′	8″ x 6′	0″	1 3/8″	
2′	0″ x 6′	4″	1 3/8″	
2′	2″ x 6′	4″	1 3/8″	
2′	4″ x 6′	4″	1 3/8″	
2′	6″ x 6′	4″	1 3/8″	
2′	8″ x 6′	4″	1 3/8″	
2′	0″ x 6′	6″	1 3/8″	
2′	2″ x 6′	6″	1 3/8″	
2′	4″ x 6′	6″	1 3/8″	
2′	6″ x 6′	6″	1 3/8″	1 3/4″
2′	8″ x 6′	6″	1 3/8″	
2′	10″ x 6′	6″	1 3/8″	
3′	0″ x 6′	6″	1 3/8″	
1′	4″ x 6′	8″	1 3/8″	
1′	6″ x 6′	8″	1 3/8″	
1′	8″ x 6′	8″	1 3/8″	
1′	10″ x 6′	8″	1 3/8″	
2′	0″ x 6′	8″	1 3/8″	

2′	2″ x 6′	8″	1 3/8″	
2′	4″ x 6′	8″	1 3/8″	
2′	6″ x 6′	8″	1 3/8″	1 3/4″
2′	8″ x 6′	8″	1 3/8″	1 3/4″
2′	10″ x 6′	8″	1 3/8″	
3′	0″ x 6′	8″	1 3/8″	
2′	0″ x 6′	10″	1 3/8″	
2′	2″ x 6′	10″	1 3/8″	
2′	4″ x 6′	10″	1 3/8″	
2′	6″ x 6′	10″	1 3/8″	
2′	8″ x 6′	10″	1 3/8″	
2′	10″ x 6′	10″	1 3/8″	1 3/4″
3′	0″ x 6′	10″	1 3/8″	
2′	0″ x 7′	0″	1 3/8″	
2′	2″ x 7′	0″	1 3/8″	
2′	4″ x 7′	0″	1 3/8″	
2′	6″ x 7′	0″	1 3/8″	1 3/4″
2′	8″ x 7′	0″	1 3/8″	1 3/4″
2′	10″ x 7′	0″	1 3/8″	1 3/4″
3′	0″ x 7′	0″	1 3/8″	1 3/4″
3′	6″ x 7′	0″		1 3/4″

Glass Doors

We can furnish glass doors in any of the above sizes by removing one or more panels and rails, and replacing with glass of any kind.

In ordering, state how many panels and rails to be removed.



CYPRESS DOORS

Bead and Cove Moulding

Flat Panels

2′	0″ x 6′	0″	1⅜″	2′	2″ x 6′	6″	1⅜″
2′	2″ x 6′	0″	1⅜″	2′	4″ x 6′	6″	1⅜″
2′	4″ x 6′	0″	1⅜″	2′	6″ x 6′	6″	1⅜″
2′	6″ x 6′	0″	1⅜″	2′	8″ x 6′	6″	1⅜″
2′	8″ x 6′	0″	1⅜″	2′	0″ x 6′	8″	1⅜″
2′	0″ x 6′	4″	1⅜″	2′	2″ x 6′	8″	1⅜″
2′	2″ x 6′	4″	1⅜″	2′	4″ x 6′	8″	1⅜″
2′	4″ x 6′	4″	1⅜″	2′	6″ x 6′	8″	1⅜″
2′	6″ x 6′	4″	1⅜″	2′	8″ x 6′	8″	1⅜″
2′	0″ x 6′	6″	1⅜″				

Glass Doors

We can furnish glass doors in any of the above sizes by removing one or more panels and rails, and replacing with glass of any kind.

Doors of any style or size made to order in any kind of wood and to any detail.

SHORT DOORS — CYPRESS

Flush Moulding Two Sides

Made by cutting off one or more panels and rails from stock doors. (For widths of doors carried in stock see regular lists of Five Cross Panel Doors.)

		Five Cross Panel			
6′ 0″	6′ 4″	6′ 6″	6′ 8″	6′ 10″	7′ 0″
		Four Cross Panel			
4′ 10¾″	5′ 1¾″	5′ 3½″	5′ 5¼″	5′ 6¼″	5′ 8½″
		Three Cross Panel			
3′ 10″	4′ 0¼″	4′ 1¾″	4′ 3″	4′ 4″	4′ 5½″
		Two Cross Panel			
2′ 9½″	2′ 11″	3′ 0″	3′ 1″	3′ 1½″	3′ 2½″
		One Cross Panel			
1′ 9″	1′ 9¾″	1′ 10¼″	1′ 10¾″	1′ 11″	1′ 11½″

SHORT DOORS — FIR

Bead and Cove Moulding

		Five Cross Panel			
6′ 0″	6′ 4″	6′ 6″	6′ 8″	6′ 10″	7′ 0″
		Four Cross Panel			
4′ 11″	5′ 2¼″	5′ 4¼″	5′ 5¼″	5′ 7″	5′ 8½″
		Three Cross Panel			
3′ 10¼″	4′ 0¾″	4′ 2¼″	4′ 3¼″	4′ 4½″	4′ 5½″
		Two Cross Panel			
2′ 9¾″	2′ 11¼″	3′ 0¼″	3′ 1″	3′ 1¾″	3′ 2½″
		One Cross Panel			
1′ 9″	1′ 10″	1′ 10¼″	1′ 10¾″	1′ 11¼″	1′ 11½″

Where short doors in stock styles are required, considerable expense and time may be saved by making openings to correspond with any of above heights, which eliminates the necessity of having doors made to order.

SELECTED RED BIRCH

Veneered



381 Korelock

DOORS

Two Panel
Selected Red Birch, Cove and Bead Moulding
No. 381 Korelock

2′	0″ x 6′	0″	1⅜″		2′	0″ x 6′	8″	1⅜″	
2′	2″ x 6′	0″	1⅜″		2′	2″ x 6′	8″	1⅜″	
2′	4″ x 6′	0″	1⅜″		2′	4″ x 6′	8″	1⅜″	1¾″
2′	6″ x 6′	0″	1⅜″		2′	6″ x 6′	8″	1⅜″	1¾″
2′	8″ x 6′	0″	1⅜″		2′	8″ x 6′	8″	1⅜″	1¾″
2′	0″ x 6′	4″	1⅜″		2′	10″ x 6′	8″	1⅜″	1¾″
2′	2″ x 6′	4″	1⅜″		3′	0″ x 6′	8″	1⅜″	1¾″
2′	4″ x 6′	4″	1⅜″		2′	0″ x 6′	10″	1⅜″	
2′	6″ x 6′	4″	1⅜″		2′	2″ x 6′	10″	1⅜″	
2′	8″ x 6′	4″	1⅜″		2′	4″ x 6′	10″	1⅜″	
2′	0″ x 6′	6″	1⅜″		2′	6″ x 6′	10″	1⅜″	1¾″
2′	2″ x 6′	6″	1⅜″		2′	8″ x 6′	10″	1⅜″	1¾″
2′	4″ x 6′	6″	1⅜″		2′	10″ x 6′	10″	1⅜″	1¾″
2′	6″ x 6′	6″	1⅜″	1¾″	3′	0″ x 6′	10″	1⅜″	1¾″
2′	8″ x 6′	6″	1⅜″		2′	0″ x 7′	0″	1⅜″	1¾″
2′	10″ x 6′	6″	1⅜″	1¾″	2′	2″ x 7′	0″	1⅜″	1¾″
3′	0″ x 6′	6″	1⅜″	1¾″	2′	4″ x 7′	0″	1⅜″	1¾″
1′	4″ x 6′	8″	1⅜″		2′	6″ x 7′	0″	1⅜″	1¾″
1′	6″ x 6′	8″	1⅜″		2′	8″ x 7′	0″	1⅜″	1¾″
1′	8″ x 6′	8″	1⅜″		2′	10″ x 7′	0″	1⅜″	1¾″
1′	10″ x 6′	8″	1⅜″		3′	0″ x 7′	0″	1⅜″	1¾″

Two Panel
Selected Red Birch
One Panel Open for Glass

2′	6″ x 6′	6″	1⅜″	2′	8″ x 6′	8″	1⅜″
2′	6″ x 6′	8″	1⅜″	3′	0″ x 7′	0″	1¾″

We Carry in Stock Selected Red Birch

only, which is the handsomest and highest grade birch door made. We can furnish from factory the same style door in Selected White Birch or Unselected Birch, which are very satisfactory doors, but not equal in quality to Selected Red Birch.

KLIMAX DOORS

Fir Stiles and Rails Unselected Veneered Birch Panels

Cove and Bead Moulding

2′	0″ x 6′	0″	1⅜″
2′	2″ x 6′	0″	1⅜″
2′	4″ x 6′	0″	1⅜″
2′	6″ x 6′	0″	1⅜″
2′	0″ x 6′	6″	1⅜″
2′	2″ x 6′	6″	1⅜″
2′	4″ x 6′	6″	1⅜″
2′	6″ x 6′	6″	1⅜″
2′	8″ x 6′	6″	1⅜″
2′	0″ x 6′	8″	1⅜″
2′	2″ x 6′	8″	1⅜″
2′	4″ x 6′	8″	1⅜″
2′	6″ x 6′	8″	1⅜″
2′	8″ x 6′	8″	1⅜″
2′	6″ x 6′	10″	1⅜″
2′	8″ x 6′	10″	1⅜″
2′	10″ x 6′	10″	1⅜″
2′	6″ x 7′	0″	1⅜″
2′	8″ x 7′	0″	1⅜″
2′	10″ x 7′	0″	1⅜″
3′	0″ x 7′	0″	1⅜″

SCREEN DOORS — ⅞″

2′	6″ x 6′	6½″	Five Cross Panel painted green.
2′	6″ x 6′	8½″	
2′	8″ x 6′	8½″	
2′	10″ x 6′	10½″	
3′	0″ x 7′	0½″	

Any size design or kind of wood made to order.

WINDOW SCREENS

Any size made to order, covered with black japanned, pearl, or bronze wire for inside or outside use, either stationary or sliding.

REAR OR INSIDE GLASS DOORS

Pine and Cypress



C3

We can furnish this style door in any size listed under our Four Panel Flush Moulded list, either Pine or Cypress.

REAR GLASS DOORS

Flush Moulding Two Sides

Pine



C4

2′	6″ x 6′	6″	1½″	
2′	6″ x 6′	8″	1½″	
2′	8″ x 6′	8″	1½″	1¾″
2′	10″ x 6′	10″	1½″	1¾″
3′	0″ x 7′	0″	1½″	1¾″

REAR AND BALCONY DOORS

Flush Moulding Two Sides

C7

Pine					Cypress			
2′	6″ x 6′	6″	1½″	1¾″	2′	6″ x 6′	6″	1⅜″
2′	6″ x 6′	8″	1½″	1¾″	2′	6″ x 6′	8″	1⅜″
2′	8″ x 6′	8″	1½″	1¾″	2′	8″ x 6′	8″	1⅜″
2′	10″ x 6′	10″	1½″	1¾″				
3′	0″ x 7′	0″	1½″	1¾″				

Glazed with any kind of glass.

FRONT DOORS

Raised Moulding One Side

Flush Moulding One Side

Pine and Cypress

F1

Pine				Cypress		
2′ 6″ x 6′ 6″	1½″	1¾″		2′ 8″ x 6′ 8″	1¾″
2′ 8″ x 6′ 8″	1½″	1¾″		2′ 10″ x 6′ 10″	1¾″
2′ 10″ x 6′ 10″	1½″	1¾″		3′ 0″ x 7′ 0″	1¾″
2′ 10″ x 7′ 0″	1½″	1¾″			
3′ 0″ x 7′ 0″	1½″	1¾″			
3′ 0″ x 7′ 6″		1¾″			

Glazed with any kind of glass.

FRONT DOORS

Raised Moulding One Side

Flush Moulding One Side

F6

Pine				Cypress			
2′ 6″ x 6′ 6″	1½″	1¾″		2′ 6″ x 6′ 6″	1⅜″	1¾″	
2′ 6″ x 6′ 8″	1½″	1¾″		2′ 8″ x 6′ 8″	1⅜″	1¾″	
2′ 8″ x 6′ 8″	1½″	1¾″		2′ 10″ x 6′ 10″	1⅜″	1¾″	
2′ 10″ x 6′ 10″	1½″	1¾″		3′ 0″ x 7′ 0″	1⅜″	1¾″	
2′ 10″ x 7′ 0″	1½″	1¾″		3′ 4″ x 7′ 0″		1¾″	
3′ 0″ x 7′ 0″	1½″	1¾″		3′ 6″ x 7′ 0″		1¾″	
3′ 0″ x 7′ 6″		1¾″					
3′ 6″ x 7′ 0″		1¾″					

Glazed with any kind of glass.

FRONT OR STORE DOORS

Raised Moulding One Side Flush Moulding One Side

Pine



F8

2′ 6″ x 6′ 6″	1½″	1¾″
2′ 8″ x 6′ 8″	1½″	1¾″
2′ 10″ x 6′ 10″	1½″	1¾″
3′ 0″ x 7′ 0″	1½″	1¾″

REAR GLASS DOORS

Flush Moulding Two Sides
Pine

C5

2′	6″ x 6′	6″	1½″
2′	6″ x 6′	8″	1½″
2′	8″ x 6′	8″	1½″

REAR GLASS DOORS

Flush Moulding Two Sides
Pine



C6

2′	6″ x 6′	6″	1½″
2′	6″ x 6′	8″	1½″
2′	8″ x 6′	8″	1½″

FRONT DOORS

Quartered Oak



F10

3′ 0″ x 7′ 0″ 1¾″

Glazed with Plain Plate, Bevelled Plate, Leaded or Double Thick Glass. A handsome door. We make this to order in any kind of wood.

FRONT DOORS

Cypress

F11

2′ 10″ x 6′ 10″ 1¾″
3′ 0″ x 7′ 0″ 1¾″

Glazed with Plain Plate, Bevelled Plate, Leaded or Double Thick Glass. A very artistic door. We make this to order in any kind of wood.

FRONT DOORS

Oak



F12

3′ 0″ x 7′ 0″ 1¾″

This door is also furnished with a Water Table under the glass. Glazed with Plain Plate, Bevelled Plate, Leaded or Double Thick Glass. A very desirable door. We make this door to order in any kind of wood.

FRONT DOORS

Quartered Oak

F13

2′ 10″ x 6′ 10″ 1¾″

Glazed with Plain Plate, Bevelled Plate, Leaded or Double Thick Glass. A very handsome door. We make this to order in any kind of wood.

FRONT DOORS
Quartered Oak



F14

3′ 0″ x 7′ 0″		1¾″
3′ 4″ x 7′ 0″		1¾″
3′ 6″ x 7′ 0″		1¾″

Glazed with Plain Plate, Bevelled Plate, Leaded or Double Thick Glass. A very handsome door. We make this to order in any kind of wood.

FRONT DOORS

Quartered Oak



F15

3′ 0″ x 7′ 0″ 1¾″

Glazed with Plain Plate, Bevelled Plate, Leaded or Double Thick Glass. A desirable door for Front Entrances or Vestibules. We make this to order in any kind of wood.

FRONT DOORS

Quartered Oak

F16

3′ 0″ x 7′ 0″ 1¾″

Glazed with Plain Plate, Bevelled Plate, Leaded or Double Thick Glass. A very handsome door. We make this to order in any kind of wood.

FRONT DOORS

Quartered Oak

F17

3′ 0″ x 7′ 0″ 1¾″

Glazed with Plain Plate, Bevelled Plate, Leaded or Double Thick Glass. A very attractive door. We make this to order in any kind of wood.

FRONT DOORS

Cypress

F18

2′ 10″ x 6′ 10″ 1¾″
3′ 0″ x 7′ 0″ 1¾″

Glazed with Plain Plate, Bevelled Plate, Leaded or Double Thick Glass. A very handsome door. We make this to order in any kind of wood.

FRONT DOORS

Cypress



Craftsman

3′ 0″ x 7′ 0″ 1¾″
2′ 8″ x 6′ 8″ 1¾″ without water table

Especially suited for Bungalows. Glazed with any kind of glass. We make this to order in any kind of wood.

FRONT OR STORE DOORS

Raised Moulding One Side Flush Moulding One Side

Pine

D1

4′	0″ x 7′	0″	1¾″
4′	4″ x 7′	0″	1¾″
4′	6″ x 7′	0″	1¾″
4′	8″ x 7′	0″	1¾″
5′	0″ x 7′	0″	1¾″

FRONT OR STORE DOORS

Raised Moulding One Side Flush Moulding One Side

Pine

D4

4′	0″ x 7′	0″	1¾″
4′	4″ x 7′	0″	1¾″
4′	6″ x 7′	0″	1¾″
4′	8″ x 7′	0″	1¾″
5′	0″ x 7′	0″	1¾″

STORM DOORS

Cypress



Solid

2′ 8″ x 6′ 8½″ ⅞″
3′ 0″ x 7′ 0½″ ⅞″

These doors are made of beaded Cypress sheathing with bevelled cleats screwed on back and are made in such a way that they may be cut in width and height to any size required.



Glass

Blind Trimmings

For wood buildings constantly in stock.

DOORS — Suggestive Designs



468

403



500



512

530

533

DOORS—Suggestive Designs



431

484

464

485

446

462

DOORS — Suggestive Designs



491

490



402
Mirror

Doors of above designs made to order in any kind of wood.

Veneered Doors

Of any kind of wood to any detail made to order.